© 2025 Sudarshan S. Chawathe

NT			
Name:			

1. (1 pt.)

- o Read all material carefully.
- If in doubt whether something is allowed, ask, don't assume.
- You may refer to **your** books, papers, and notes during this test. (No sharing.)
- E-books may be used subject to the restrictions noted in class. (Briefly, do only those things with an e-book that are just as easily done with a physical book.)
- Computers of any kind (including tablets, phones, and similar devices) are not permitted except when used exclusively as e-book readers.
- Network access of any kind (cell, voice, text, data, ...) is not permitted.
- Write, and draw, carefully. Ambiguous or cryptic answers receive zero credit.
- Use class and textbook **conventions** for notation, algorithmic options, etc.
- Questions that ask for **explanations** allocate a sizable fraction of points to those. **Answers without sufficient explanations will score very poorly.**
- Do not add, remove, detach, or mangle pages (causes scanner problems).
- Budget your **time**, noting that number of points = number of minutes.

Write your name in the space provided above. Do not write anything else on this page.

WAIT UNTIL INSTRUCTED TO CONTINUE TO REMAINING QUESTIONS.

(Do not view any other pages.)

Do not write on this page.

(It is for use in grading only.)

Q	Full	Score
1	1	
2	9	
3	15	
4	15	
total	40	

2. (9 pts.) This question centers on the issue of *scope* as discussed in class and the textbook. What is the output of the following Python program? **Explain your** answer using concepts related to scope.

```
def main():
1
          x = 10
2
3
          def f(x):
4
               def g():
5
                    return x
6
7
               return g
8
9
          print(f(3)())
10
```

3. (15 pts.) For each of the following Standard ML expressions, provide the response when that expression is evaluated by the sml REPL (read-eval-print loop). Assume that the expressions are evaluated in the order listed. In your response, draw a box around the type and oval around the value. (If there is an error then clearly explain the error.)

```
(a) (3 pts.) 2 * 3;
(b) (3 pts.) 2.1 + 3.0;
(c) (3 pts.) 2.1 / 3;
(d) (3 pts.) print("Open the pod bay doors.");
(e) (3 pts.) print "I'm afraid I can't do that.";
```

4. (15 pts.) Provide a complete JCoCo assembly language program that

- (a) First, reads a newline-terminated string s from standard input.
- (b) Then, reads an integer q from the next line of standard input.
- (c) Finally, writes a single integer n followed by a newline to $standard\ output$, where n is the sum of q and the length (in characters) of the string s.

Explain why your program is correct.

[additional space for earlier material]